

# **Safety Data Sheet**

## Astro PFP FR Boards

Revision 2 - 17th January 2020



Astroflame (Fireseals) LTD : Unit 8 , I.O Centre : Stephenson Road : Segensworth : Fareham : PO15 5RU T - 01329 844500 : F - 01329 844600 : W - www.astroflame.com : E - sales@astroflame.com



### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	:	Astro PFP FR Boards
Product code	:	AFPFPB

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture

: PC32: Polymer preparations and compounds.

#### 1.3. Details of the supplier of the safety data sheet

Company name	:	Astroflame (Fireseals) LTD Unit 8 , I.O Centre Stephenson Road Segensworth Fareham PO15 5RU United Kingdom
Tel	:	01329 844 500
Fax	:	01329 844 600
Email	:	sales@astroflame.com

### 1.4. Emergency telephone number

Emergency tel

:

(0) 44 1329 844500 During office hours 08:00 - 17:30

#### Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP : This product has no classification under CLP. 2.2. Label elements Label elements : This product has no label elements. 2.3. Other hazards Other hazards : Not applicable. PBT This product is not identified as a PBT/vPvB substance. :

### Section 3: Composition/information on ingredients

3.1. Substances	
Chemical identity	: Astro PFP FR Board COATED AND UNCOATED
CAS number	: NONE
EINECS number	: 926-099-9
Contains	: Contains 97 - 100% Mineral Wool
	Contains 0 to 6% phenol-formaldehyde-urea binder and 0 to 0.4% mineral oil for dust binding.

Section 4	4: First ai	d measures
00001	1111000	

4.1. Description of first aid measures		
Skin contact	:	If irritation occurs, do not rub or scratch. Rinse under running water prior to washing with soap and water.
Eye contact	:	If irritation occurs, do not rub eyes. Flush eyes carefully with eye wash or water. Consult a doctor if irritation persists.
Ingestion	:	Not applicable.
Inhalation	:	Remove casualty from exposure ensuring one's own safety whilst doing so.

<b>4.2</b> . Most important symptoms and effects, both acute and delayed
--

Skin contact	:	There may be mild irritation at the site of contact.
Eye contact	:	There may be irritation and redness.
Ingestion	:	No data available.

#### **4.3.** Indication of any immediate medical attention and special treatment needed

:

Immediate / special treatment : Not applicable.

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media

Suitable extinguishing media for the surrounding fire should be used.

#### **5.2**. Special hazards arising from the substance or mixture

5.3. Advice for fire-fighters

6.1. Personal precautions, protective equipment	nen	t and emergency procedures
6.2. Environmental precautions		
6.3. Methods and material for containment	and	l cleaning up
6.4. Reference to other sections		
Section 7: Handling and storage	)	
7.1. Precautions for safe handling		
Handling requirements	:	In unventilated spaces, use a suitable disposable facemask and cover exposed skin. Wear goggles when installing product overhead. Clean areas with a vacuum. If itching occurs, rinse with cold water first before using soap and water.
7.2. Conditions for safe storage, including an	ny ir	ncompatibilities
Storage conditions	:	Avoid contact with water or humidity.
Suitable packaging	:	Must only be kept in original packaging.
7.3. Specific end use(s)		
Specific end use(s)	:	PC32: Polymer preparations and compounds.
Section 8: Exposure controls/pe	ers	onal protection
8.1. Control parameters		
Workplace exposure limits	:	No data available.
DNEL/PNEC Values		
DNEL / PNEC	:	No data available.
8.2. Exposure controls		
Engineering measures	:	A dust mask (class P2) should be used if there is any risk that the limit value is exceeded or if dust irritates.
Hand protection	:	Wear gloves suitable for the installation.
Eye protection	:	Safety goggles.
Skin protection	:	Protective clothing with elasticated cuffs and closed neck.

ASTROFLAME MANUFACTURERS OF PASSIVE FIRE STOP PRODUCTS

Section 6: Accidental release measures

F - 01329 844600

Page 4

### Section 9: Physical and chemical properties

9.1. Information on basic physical and chen	nica	l properties
State	:	Solid
Odour	:	Odourless
Relative density	:	20 to 250kg/m3
9.2. Other information		
Other information	:	At temperatures above 1000oC the glass in the mineral wool will soften and melt.
Section 10: Stability and reactive	vity	
10.1. Reactivity		
Reactivity	:	Not applicable.
10.2. Chemical stability		
Chemical stability	:	Stable under normal conditions.
<b>10.3</b> . Possibility of hazardous reactions		
Hazardous reactions	:	Hazardous reactions will not occur under normal transport or storage conditions.
10.4. Conditions to avoid		
10.5. Incompatible materials		
<b>10.6</b> . Hazardous decomposition products		

### Section 11: Toxicological information

### **11.1**. Information on toxicological effects

Excluded hazards for substance :

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Skin corrosion/irritation	-	No hazard: calculated
Serious eye damage/irritation	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated
Reproductive toxicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

### Symptoms / routes of exposure

Skin contact	:	There may be mild irritation at the site of contact.
Eye contact	:	There may be irritation and redness.
Ingestion	:	No data available.

Section 12: Ecological information			
12.1. Toxicity			
Ecotoxicity values	: No data available.		
12.2. Persistence and degradability			
<b>12.3.</b> Bioaccumulative potential			
12.4. Mobility in soil			

### **12.5.** Results of PBT and vPvB assessment

PBT identification : This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

### Section 13: Disposal considerations

13.1. Waste treatment methods	
Disposal operations	: Deposit into or on to land (e.g. landfill, etc.)
Waste code number	: 17 06 04
NB	: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.


Section 14: Transport information		
Transport class :	This product does not require a classification for transport.	
Section 15: Regulatory information	on	
15.1. Safety, health and environmenta	l regulations/legislation specific for the substance or mixture	
Specific regulations :	The product contains mineral wool fibres which according to EC Regulation 1272/2008 note Q, have high bio-solubility and are therefore not classified as carcinogens.	
15.2. Chemical Safety Assessment		
Chemical safety assessment :	A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.	
Section 16: Other information		
Other information		
Other information :	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.	
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.	
Legal disclaimer :	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not	

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

with the above product.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.

F - 01329 844600



be held liable for any damage resulting from handling or from contact