

Product Data Sheet

FingerKeeper Industrial - RP62

Revision 6 - 4th February 2019

Astroflame (Fireseals) LTD : Unit 8 , I.O Centre : Stephenson Road : Segensworth : Fareham : PO15 5RU T - 01329 844500 : F - 01329 844600 : W - www.astroflame.com : E - sales@astroflame.com



FingerKeeper Industrial - RP62

Heavy Duty Hinge Guard by Raven RP62

- Door finger Guard suited to demanding commercial and industrial environments.
- Anodised Aluminium and EPDM Rubber construction.
- Fits butt hinged or centre pivot doors.
- Available for 157mm or 260mm (wide) gaps.
- Available in 2100mm or 2500mm (long) versions.
- Easily removed and re-fitted to allow door maintenance.
- Long anticipated lifespan.
- Low maintenance wipe clean finish.




FingerKeeper Industrial - RP62 shown on a closed door

Product Description

FingerKeeper Industrial - RP62 is a heavy duty finger-pinch protection device (anti-finger-trapping hinge guard). Manufactured from Black EPDM fitted in an Satin Anodised Aluminium carrier, that has black inserts to conceal the fixing screws. The EPDM safety strip prevents fingers being pinched on the hinge side of a door. It is fixed to the door and the jamb on the hinged side.

The FingerKeeper Industrial - RP62 anti-finger trapping guard suit the most demanding industrial environments.



Product Availability

Supplied in standard lengths of 2100mm x 157mm wide. There is a **LONG** version - **2500mm** x 157mm strip width. There is a **WIDE** version - 2100mm x **260mm** strip width. All versions can be cut to length required and/or butt jointed. All versions suit butt hinged or centre pivot door. All versions permit 90° or 180° opening. *NOTE: Two quards are required for centre pivot doors.*

Product Code	Description	Width	Length	Colour/Version
AFFKIND	FingerKeeper Industrial - RP62 Standard Version	157mm	2100mm	Aluminium / Black EPDM Rubber / Black cover strips
AFFKINDX	FingerKeeper Industrial - RP62 Long Version	157mm	2500mm	Aluminium / Black EPDM Rubber / Black cover strips
AFFKINDWB	FingerKeeper Industrial - RP62 Wide Version	260mm	2100mm	Aluminium / Black EPDM Rubber / Black cover strips

To Order & Specify

Please contact us and quote the following - Quantity / Product Description / Product Code / Colour / Length / Width Typical wording - 10no / FingerKeeper Industrial - RP62 Standard Version / AFFKIND / Black / 2100mm / 157mm

>> Tel: 01329 844 500 or >> Email: sales@astroflame.com

Health and Safety

For further information on health and safety requirements please contact the technical team on: tel <u>01329 844 500</u> or email <u>sales@astroflame.com</u>

Installation

For further information on installation please see the installation sheet or video or contact the technical team on: tel <u>01329 844 500</u> or email <u>sales@astroflame.com</u>

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

F - 01329 844600