

FIRE FIGHTING – FLAMEZORB

Product Code: FZB1



Flamezorb is an excellent, light weight absorbent of spills and has fire retardant properties

- Excellent absorbent properties
- Superior to sand
- Lightweight – only 3.5kg per bag
- 10 litre contents to fill fire bucket
- Effortless clear up and disposal
- Conforms to BS476 Part 7

	FZB1
Capacity	10 litres
Height (mm)	390
Width (mm)	330
Depth (mm)	90
Weight (kg)	3.46
Unit of sale	1

MATERIAL SAFETY DATA SHEET

PRODUCT: Flamezorb

1.IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

1.1 IDENTIFICATION OF THE PREPARATION: FZB1

1.2 COMPANY IDENTIFICATION
Homesaver
Sentura House
3 Lands End Way
OAKHAM
Rutland
LE15 6RB

1.4 EMERGENCY TELEPHONE: 01752 770478

2.COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	Percentages
-----------------	------------	-------------

Soft Wood Sawdust		
-------------------	--	--

Sodium Bicarbonate		
--------------------	--	--

3.HAZARDS IDENTIFICATION

Critical Hazards: Not applicable

4.FIRST AID MEASURES

Eye Contact:	Irrigate thoroughly with clean water. Continue to irrigate until irritation ceases. If irritation persists seek medical advice.
Skin Contact:	Wash thoroughly with soap and water. People with very sensitive skin may experience some soreness. If this occurs, discontinue use of product and if soreness persists seek medical advice.
Inhalation:	Unlikely. If aspiration of product should occur seek medical advice immediately.
Ingestion:	Drink copious amounts of water. Will not cause any long term irreversible effect.

5.FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Combustion Products:

Fire Fighting Procedures:

6.ACCIDENTIAL RELEASE MEASURES

Personal Precautions:

Environmental Precautions: Observe precautions from other sections.

7.HANDLING AND STORAGE

Precautions for Safe Storage: Recommended storage at ambient temperatures (i.e. neither too hot nor too cold).

Precautions for Safe Handling: Normal handling procedures. However care must be taken when coming into contact with other chemical spillages. Gloves, eye protection and protective clothing should be worn depending on operation. Consult C.O.S.H.H. sheet on product to be contained. Flammable or other hazardous liquids, when contained in any absorbent material, may continue to be hazardous or unsafe and under certain conditions may spontaneously ignite. Therefore, wear respiratory protection and protective clothing appropriate for such liquids. Exercise extreme care when handling, storing or disposing of absorbent materials containing such liquids to avoid personal injury and environmental harm. Dispose of only in accordance with local and national regulations.

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient Name	STD LT	EXP (8 Hours)	ST EXP (10 Min)
------------------------	---------------	----------------------	------------------------

Sodium Bicarbonate	No Standard		
--------------------	-------------	--	--

Eye Protection:

Hand Protection:

Skin Protection:

Respiratory Protection:

Ingestion:

Recommended Ventilation:

Special Instructions:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odour:	Loose mobile wood fibre material in various colours; (Green, purple, pink, yellow) with no odour.
Ph:	Neutral
Boiling Point/Boiling Range:	
Melting Point/Melting Range:	Not Determined
Flash Point:	Not Applicable
Auto flammability:	
Vapour Pressure:	
Water Solubility:	Not Applicable
Specific Gravity:	Not Applicable
Vapour Density:	
Volatile Organic Compounds:	
Evaporation Rate:	Not Applicable
Viscosity:	Not Applicable

10. STABILITY AND REACTIVITY

Materials to Avoid:	None known
Hazardous Decomposition:	Stable and non-reactive

11. TOXICOLOGICAL INFORMATION

Effects from Eye Contact:	Not Applicable
Effects from Skin Contact:	Not Applicable
Effects from Inhalation:	Not Applicable
Effects from Ingestion:	Not Applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:	Other effects and information: Bio-degradable as supplied
--------------------------	---

13. DISPOSAL CONSIDERATIONS

Product as Sold:	Contact local waste disposal companies
Product in Use:	Contact local waste disposal companies
Potential for Re-cycling	

14.TRANSPORT INFORMATION

UN Number: Not restricted for transportation.

UK Road/Sea Freight (IMO) Classification:

Substance Identification Number: Not Applicable

Class: Not Applicable

Packing Group: Not Applicable

Proper Shipping Name: Not Applicable

PGR (if applicable): Not Applicable

ADR/RIB Classification:

Class: Not Applicable

Item Number: Not Applicable

ICAD/IATA Classification:

Class: Not Applicable

Sub Risk: Not Applicable

Packing Group: Not Applicable

Proper Shipping Name: Not Applicable

15.REGULATORY INFORMATION

Precautionary Label Information:

Symbols: None

Risk Phrases: R-36 Irritating to eyes

Safety Phrases: S-25 Avoid contact with eyes

S-26 In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

S-2 Keep out of reach of children

16.OTHER INFORMATION

Regulatory Information:

The following UK Regulations as amended may affect the product as supplied:

- The Chemicals (Hazard Information and Packaging) Regulations 1994
- The Dangerous Substances (Conveyance by Road in Road Tankers/Tank Containers) Regulations 1992

- The Carriage of Dangerous Goods by Road and Rail (Classification, Packaging and Labelling) Regulations 1994
- The Petroleum (Consolidation) Act 1928
- The Control of Substances Hazardous to Health Regulations 1994
- The Control of Pollution (Special Waste) Regulations 1980
- The Environmental Protection Act 1990
- The Health and Safety at Work Act 1974

Re-Issue Date/Reason for Re-Issue: This is the first issue in this format

Intended Use of Product: Synthetic absorbent for containment and clean-up of liquid spills

Limitation on Use of Products: For industrial use only

The information on this Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law).

The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials.

For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.