



# POWDER FIRE EXTINGUISHERS

## Data Sheet



### FEATURES:

- 5-Year Warranty
- BS EN3 approved, UKCA Approved,
- CE Marked & BSI Kitemarked
- Brackets included for transport or wall mounting
- Effective against Class A, B and C fires
- Temperature Range: -20°C to +60°C
- Supplied filled with Powder



VP-XTP6

VP-XTP9

VP-XTP4

VP-XTP1

VP-XTP2



[www.VigilProducts.com](http://www.VigilProducts.com)

Unit 11C, Claremont Way, Lakesview Industrial Park, Canterbury CT3 4BF

## POWDER FIRE EXTINGUISHERS

Powder Fire Extinguishers, available in various size options, offer highly effective protection against Class A, B, and C fires. These fire classifications are commonly found in domestic, business, commercial, and industrial environments, making them valuable for all types of settings.

Recognisable by their blue labels, these extinguishers are manufactured in accordance with stringent quality standards, ensuring reliability and durability. They are pressurised with non-flammable, non-toxic gases, and the dry powder agent is effective in rapidly knocking down flames and preventing re-ignition.

The 1kg and 2kg models are compact and lightweight, ideal for personal vehicles, small boats, and home use, providing quick response capabilities in confined spaces. Supplied with transport brackets. The 4kg model offers increased powder contents for various settings, and is supplied with a wall-mounting bracket.



Product	1kg Powder Fire Extinguisher	2kg Powder Fire Extinguisher	4kg Powder Fire Extinguisher
Product Code	VP-XTP1	VP-XTP2	VP-XTP4
H x W x D	378x122x82mm	396x154x107mm	528x289x138mm
Fire Rating	8A 34B C	13A 34B C	21A 113B C
Warranty	5 Years	5 Years	5 Years
Capacity	1kg	2kg	4kg
Weight with Nozzle	2.02kg	3.48kg	6.34kg
Test Pressure	29 Bar	29 Bar	29 Bar
Temperature Range	-30°C to +60°C	-30°C to +60°C	-30°C to +60°C
Operating Pressure	14 Bar	14 Bar	14 Bar
Approvals	UKCA, CE, BSI Kitemark	UKCA, CE, BSI Kitemark	UKCA, CE, BSI Kitemark
Extinguishing Medium	ABC Powder	ABC Powder	ABC Powder
Carton Quantity	1	1	1
Carton Weight	2.28kg	3.74kg	9.84kg
Carton Dimensions	355x100x100mm	420x130x140mm	560x170x170mm
Pallet Quantities	330	160	72



[www.VigilProducts.com](http://www.VigilProducts.com)

Unit 11C, Claremont Way, Lakesview Industrial Park, Canterbury CT3 4BF

## POWDER FIRE EXTINGUISHERS

The larger 6kg and 9kg units are suited for commercial settings, workshops, and larger vehicles, offering extended firefighting capacity for more substantial fire hazards. Supplied with wall-mounting brackets for quick installation.

These extinguishers are CE-marked and manufactured to meet the rigorous standards of BS EN3, guaranteeing compliance with UK fire safety regulations. With a simple squeeze-grip operation and a discharge nozzle designed for precision, users can effectively tackle fires with minimal effort. The dry powder agent forms a protective barrier against flames, making it especially useful in high-risk environments where rapid fire suppression is essential.

For businesses and individuals looking for a reliable and versatile fire safety solution, the Vigil Powder Fire Extinguisher range offers peace of mind with its powerful firefighting capabilities and trusted quality.



Product	6 litre Powder Fire Extinguisher	9 litre Powder Fire Extinguisher
Product Code	VP-XTP6	VP-XTP9
H x W x D	534x307x162mm	613x313x185mm
Fire Rating	27A 144B C	27A 183B
Warranty	5 Years	5 Years
Capacity	6 Litres	9 Litres
Weight with Nozzle	9.42kg	13.74kg
Test Pressure Bar	29 Bar	29 Bar
Temperature Range	-20°C to +60°C	-20°C to +60°C
Operating Pressure	14 Bar	14 Bar
Approvals	UKCA, CE & BSI Kitemark	UKCA, CE & BSI Kitemark
Extinguishing Medium	ABC Powder	ABC Powder
Carton Quantity	1	1
Carton Weight	9.84kg	14.46KG
Carton Dimensions	560x170x170mm	620X190X195mm
Pallet Quantities	72	49



[www.VigilProducts.com](http://www.VigilProducts.com)

Unit 11C, Claremont Way, Lakesview Industrial Park, Canterbury CT3 4BF